



[1] **ACCEPTANCE NOTIFICATION - CONFORMITY WITH TYPE - Translation**

[2] Equipment or protective systems intended for use in potentially explosive atmospheres, Directive 2014/34/EU

[3] Notification number **IBExU19ATEXKB01** | Issue 0

[4] Product-category(ies): **Level Switch**
Type: LS(A,G)...-Ex d
electrical equipment of equipment-group II, category 2 G with type of protection d

[5] Manufacturer: UAD Service + Vertriebs UG (hb)

[6] Address: Alter Hafen Nord 216
18069 Rostock
GERMANY

[7] Production site(s): UAD Service + Vertriebs UG (hb)
Alter Hafen Nord 216
18069 Rostock
GERMANY

[8] IBExU Institut für Sicherheitstechnik GmbH, notified body number 0637 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, confirms to the manufacturer on the basis of the production procedure and its supervision at the production site(s) that the products of the mentioned product-category(ies) have been found to comply with the types described in the EC-type examination certificate IBExU13ATEX1069 X of 2013-11-28 and fulfil the requirements given in Annex VI to the Directive.

[9] This notification is based on the confidential audit report IB-19-6-0060 of 2019-11-01. The notification is valid until 2022-11-18. This notification can be withdrawn if the manufacturer no longer satisfies the requirements of Annex VI. Results of surveillance audits are part of this notification.

[10] According to Directive 2014/34/EU the products mentioned under [4] should be marked with the identification number 0637 of IBExU as the notified body that was involved in the production control phase, optionally in conjunction with the CE marking.

IBExU Institut für Sicherheitstechnik GmbH
Fuchsmühlenweg 7
09599 Freiberg, GERMANY

Tel: + 49 (0) 37 31 / 38 05 0
Fax: + 49 (0) 37 31 / 38 05 10

By order

Certificates without signature and seal are not valid. Certificates may only be duplicated completely and unchanged. In case of dispute, the German text shall prevail.

Dipl.-Ing. Willamowski



Freiberg, 2019-11-04