

Issued at Høvik on 2025-05-07

This Certificate is valid until 2030-05-06.

Approval Engineer: Nikolai Arntzen

DNV local unit: UK & Ireland CMC & VMC

# TYPE APPROVAL CERTIFICATE

Certificate no.: **TAA00002E6**Revision No:

for **DNV** 

| This is to certify:  |   |
|--|---|
| that the Level Switch  | nes   |
| with type designation(s  |   |
| PSM Instrume<br>Haywards Heath,  | entation Ltd<br>, West Sussex, United Kingdom                                       |
| is found to comply with DNV rules for class                                | h<br>ification – Ships, offshore units, and high speed and light craft              |
| Application:   |   |
| Product(s) approved  | by this certificate is/are accepted for installation on all vessels classed by DNV. |
| Location classes: Temperature D Humidity B Vibration A EMC N/A Enclosure D |   |

Form code: TA 251 Revision: 2024-11 www.dnv.com Page 1 of 3

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.



Job ID: **262.1-009301-4** Certificate no.: **TAA00002E6** 

Revision No: 1

## **Product description**

The Bilge Level Switch Type BLS9200 is designed to be installed in ships bilges and tanks.

#### Technical data:

| Max. rating:  | 100 Watt AC/DC resistive load |
|---------------|-------------------------------|
| Max. voltage: | 500 Vdc / 250 Vac             |
| Max. current: | 3 A                           |
| Material:     | Stainless Steel               |
| Float s.g:    | 0.62                          |

# Manufactured by PSM Instrumentation Ltd

Unit 3 Burrell Road Haywards Heath West Sussex RH16 1TW United Kingdom

#### Approval conditions

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

# **Type Approval documentation**

#### **Tests carried out**

Applicable tests according to class guideline DNV-CG-0339, August 2021. Cold Test carried out for 16h at -25°C.

## **Marking of product**

The products to be marked with:

- manufacturer name
- model name
- serial number
- power supply ratings

Form code: TA 251 Revision: 2024-11 www.dnv.com Page 2 of 3



Job ID: **262.1-009301-4** Certificate no.: **TAA00002E6** 

Revision No: 1

#### Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications
- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE

Form code: TA 251 Revision: 2024-11 www.dnv.com Page 3 of 3